

Our Pride, Packaging Your's

# PACKAGING SOLUTIONS





### **AMAZON PLASTICS PVT LTD**

SURVEY NO.107/2/2/1,VILLAGE-NAROLI,
SILVASSA-396230

SPECIFICATION INDEX AM/QCD/1501 CODE:15L-A

#### **PACK SPECIFICATION -15 LTR**

	Product Code	15L-A-17500
CONTAINER	Product Type	Inner Lock
	Raw Matrial	PPCP
	Over Flow Capicity	17500 ML
	Maximum Filling Capacity	15 LTR
	Tare Weight	<u>855 +</u> 25GM
	Compression Strength	500 KGF (@ 10MM DEFLECTION)
	Drop Test Standard	Vertical on base -1.2m, Vertical on Lid 1.2m, Angular o base-1.2m, Horizontal-1.2m.
	Vibration Test Standard IS-7028 (Leakage Test)	Oil filled Packs are kept horizontally, vertically-upright vertically upside-down position on vibration tester, frequency, amplitude & duration of vibration at 120 CPM, 25.4mm & 1 hr respectivery.
	Stacking	1+3
BODY	Colour	WHITE
	Height	320MM <u>+</u> 2 MM
	Weight	600GM <u>+</u> 14GM
	Top ID (Max)	282 MM <u>+</u> 2MM
	Top OD (Max)	304MM <u>+</u> 2MM
	Bottom OD	251MM <u>+</u> 2MM
	Wall Thickness (Min)	1.6MM <u>+</u> .002 MM
LID	Colour	WHITE
	Outer Diameter	301 MM <u>+</u> 1MM
	Height	34 MM <u>+</u> 1MM
	Weight (With Spout)	200 GM <u>+</u> 8GM
HANDLE	Weight	55GM <u>+</u> 3 GM
	Material	METAL (MS WITH POWER COATED)
COMMUNICATION	Process	SCREEN PRINTING
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	800MM X 200MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		

<sup>\*\*</sup> In addition to the above specification, a successful filling line trial (filling / lid fitting ) has to be completed at the filling station before any commercial delivery.



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

## Get in touch now

#### Work:

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

**Registered Office Address :** Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email: info@amazonplasics.in

**Phome:** +91 8511 166623 / +91 9324 288421 www.amazonplastics.in