

Our Pride, Packaging Your's

PACKAGING SOLUTIONS





AMAZON PLASTICS PVT LTD

SURVEY NO.107/2/2/1,VILLAGE-NAROLI,
SILVASSA-396230

SPECIFICATION INDEX AM/QCD/1501 CODE:26 L -A

PACK SPECIFICATION -26 LTR

CONTAINER	Product Code	26L-A-28000
	Product Type	Inner Lock
	Raw Matrial	PPCP
	Over Flow Capicity	28000 ML
	Maximum Filling Capacity	26 LTR
	Tare Weight	1175GM <u>+</u> 30GM
	Compression Strength	650 KGF (@ 10MM DEFLECTION)
	5 7 15 1 1	Vertical on base -1.2m, Vertical on Lid 1.2m, Angular or
	Drop Test Standard	base-1.2m,Horizontal-1.2m.
		Oil filled Packs are kept horizontally, vertically-upright
	Vibration Test Standard IS-7028	vertically upside-down position on vibration
	(Leakage Test)	tester, frequency, amplitude & duration of vibration ar
		120 CPM,25.4mm & 1 hr respectivery.
	Stacking	1+3
BODY	Colour	WHITE
	Height	402MM <u>+</u> 3MM
	Weight	855GM <u>+</u> 15 GM
	Top ID (Max)	321 MM <u>+</u> 2MM
	Top OD (Max)	344MM <u>+</u> 2MM
	Bottom OD	293MM <u>+</u> 2MM
	Wall Thickness (Min)	1.8MM <u>+</u> .002 MM
LID	Colour	WHITE
	Outer Diameter	342 MM <u>+</u> 1MM
	Height	34 MM <u>+</u> 1MM
	Weight (With Spout)	265GM <u>+</u> 10GM
HANDLE	Weight	60GM <u>+</u> 5 GM
	Material	METAL (MS WITH POWER COATED)
COMMUNICATION	Process	SCREEN PRINTING
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	875MM X 275MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		

^{**} In addition to the above specification, a successful filling line trial (filling / lid fitting) has to be completed at the filling station before any commercial delivery.



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

Get in touch now

Work:

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

Registered Office Address : Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email: info@amazonplasics.in

Phome: +91 8511 166623 / +91 9324 288421 www.amazonplastics.in