



**AMAZON**  
PLASTICS PVT LTD

Our Pride, Packaging Your's

---

**PACKAGING** SOLUTIONS





**AMAZON PLASTICS PVT LTD**  
**SURVEY NO.107/2/2/1,VILLAGE-NAROLI,**  
**SILVASSA-396230**

**SPECIFICATION**  
**INDEX**  
**AM/QCD/1501**  
**CODE:7.5 L-A**

**PACK SPECIFICATION - 7.5 LTR**

<b>CONTAINER</b>	Product Code	7.50L-A-8500
	Product Type	Inner Lock
	Raw Material	PPCP
	Over Flow Capacity	8000 ML
	Maximum Filling Capacity	7.5 LTR
	Tare Weight	473 ± 22GM
	Compression Strength	400 KGF (@ 10MM DEFLECTION)
	Drop Test Standard	Vertical on base -1.2m,Vertical on Lid 1.2m,Angular on base-1.2m,Horizontal-1.2m.
	Vibration Test Standard IS-7028 (Leakage Test)	Oil filled Packs are kept horizontally,vertically-upright & vertically upside-down position on vibration tester,frequency,amplitude & duration of vibration are 120 CPM,25.4mm & 1 hr respectiverly.
	Stacking	1+ 3
<b>BODY</b>	Colour	WHITE
	Height	265MM ± 2MM
	Weight	329 GM ± 12GM
	Top ID (Max)	220 MM ± 2MM
	Top OD (Max)	246MM ± 2MM
	Bottom OD	200MM ± 2MM
	Wall Thickness (Min)	1.5MM ± .002 MM
<b>LID</b>	Colour	WHITE
	Outer Diameter	243 MM ± 1MM
	Height	28 MM ± 1MM
	Weight (With Spout)	123 GM ± 7GM
<b>HANDLE</b>	Weight	28 GM ± 3 GM
	Material	METAL (MS WITH POWER COATED)
<b>COMMUNICATION</b>	Process	SCREEN PRINTING
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	665MM X 160MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
<b>SCOPE</b>		

**\*\* In addition to the above specification,a successful filling line trial (filling / lid fitting ) has to be completed at the filling station before any commercial delivery.**



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

## Get in touch now

---

**Work :**

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli ( UT ) 396230.

**Registered Office Address :** Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

**Email :** [info@amazonplastics.in](mailto:info@amazonplastics.in)

**Phome :** +91 8511 166623 / +91 9324 288421

[www.amazonplastics.in](http://www.amazonplastics.in)