



AMAZON
PLASTICS PVT LTD

Our Pride, Packaging Your's

PACKAGING SOLUTIONS





AMAZON PLASTICS PVT LTD
SURVEY NO.107/2/2/1,VILLAGE-NAROLI,
SILVASSA-396230

SPECIFICATION
INDEX
AM/QCD/1501
CODE:AP10.L-2 NO.22

PACK SPECIFICATION - 10 KG (small) OUTER LOCK

CONTAINER	Product Code	AP10.L2 NO.22
	Product Type	OUTER LOCK
	Raw Matrial	PPCP
	Over Flow Capicity	10200ml
	Maximum Filling Capacity	7 KG
	Tare Weight	525 ± 15GM
	Compression Strength	300 KGF (@ 10MM DEFLECTION)
	Drop Test Standard	Vertical on base -1.2m,Vertical on Lid 1.2m,Angular on base-1.2m,Horizontal-1.2m.
	Vibration Test Standard IS-7028 (Leakage Test)	Oil filled Packs are kept horizontally,vertically-upright & vertically upside-down position on vibration tester,frequency,amplitude & duration of vibration are 120 CPM,25.4mm & 1 hr respectiverly.
Stacking	1+4	
BODY	Colour	WHITE
	Height	260MM ± 2MM
	Weight	385GM ± 8GM
	Top ID (Max)	242 MM ± 2MM
	Top OD (Max)	268MM ± 2MM
	Bottom OD	224MM ± 2MM
	Wall Thickness (Min)	1.4MM ±.002 MM
LID	Colour	WHITE
	Outer Diameter	262 MM ± 2MM
	Height	25 MM± 1MM
	Weight	110 GRAM+ 5GM
HANDLE	Weight	26GM+ 2GM
	Material	MS
COMMUNICATION	Process	SCREEN PRINTING/HTL
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	630MM X 160MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		

**** In addition to the above specification,a successful filling line trial (filling / lid fitting) has to be completed at the filling station before any commercial delivery.**



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

Get in touch now

Work :

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

Registered Office Address : Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email : info@amazonplastics.in

Phome : +91 8511 166623 / +91 9324 288421

www.amazonplastics.in