

Our Pride, Packaging Your's

PACKAGING SOLUTIONS





AMAZON PLASTICS PVT LTD SURVEY NO.107/2/2/1,VILLAGE-NAROLI,

SPECIFICATION

INDEX

SILVASSA-396230

AM/QCD/ CODE: 1L-1200C

PACK SPECIFICATION - 1L-1200C OUTER LOCK

CONTAINER	Product Code	1200 C
	Product Type	OUTER LOCK
	Raw Matrial	РРСР
	Over Flow Capicity	1200C
	Maximum Filling Capacity	1 LETER
	Tare Weight	74 +_2 GM
	Compression Strength	0 KGF (@ 10MM DEFLECTION)
	Drop Test Standard	Vertical on base -1.2m, Vertical on Lid 1.2m, Angular on base-
	Vibration Test Standard IS- 7028 (Leakage Test)	Oil filled Packs are kept horizontally,vertically-upright & vertically upside-down position on vibration tester,frequency,amplitude & duration of vibration are 120 CPM,25.4mm & 1 hr respectivery.
	Stacking	1+4
BODY	Colour	WHITE
	Height	138 MM +_ 2 MM
	Weight	54.5 GM +_ 1 GM
	Top ID (Max)	108 MM <u>+</u> 1MM
	Top OD (Max)	118 MM <u>+</u> 1MM
	Bottom OD	110 MM <u>+</u> 1MM
	Wall Thickness (Min)	1.2MM <u>+</u> .002 MM
LID	Colour	WHITE
	Outer Diameter	114 MM <u>+ 2</u> MM
	Height	13.5MM <u>+</u> 1MM
	Weight	68 GM <u>+</u> 1GM
HANDLE	Weight	19.5.+_1 GM
	Material	NA
COMMUNICATION	Process	SCREEN PRINTING/HTL
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	1 0 0 /	317X95 MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

Get in touch now

Work:

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

Registered Office Address : Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email : info@amazonplasics.in

Phome : +91 8511 166623 / +91 9324 288421

www.amazonplastics.in