

Our Pride, Packaging Your's

# PACKAGING SOLUTIONS





### **AMAZON PLASTICS PVT LTD**

SURVEY NO.107/2/2/1,VILLAGE-NAROLI, SILVASSA-396230

SPECIFICATION INDEX AM/QCD/1501 CODE:AP01300

#### **PACK SPECIFICATION - 1 KG**

	Product Code	AP1300C
CONTAINER	Product Type	OUTER LOCK
	Raw Matrial	PPCP
	Over Flow Capicity	1300 ml
	Maximum Filling Capacity	1 KG
	Tare Weight	69 + 4GM
	Compression Strength	0 KGF (@ 10MM DEFLECTION)
		Vertical on base -1.2m, Vertical on Lid 1.2m, Angular or
	Drop Test Standard	base-1.2m,Horizontal-1.2m.
		Oil filled Packs are kept horizontally, vertically-upright
	Vibration Test Standard IS-7028	vertically upside-down position on vibration
	(Leakage Test)	tester, frequency, amplitude & duration of vibration are
		120 CPM,25.4mm & 1 hr respectivery.
	Stacking	1+4
BODY	Colour	WHITE
	Height	142MM <u>+</u> 1MM
	Weight	58GM <u>+</u> 2GM
	Top ID (Max)	117.5 MM <u>+</u> 1MM
	Top OD (Max)	129MM <u>+</u> 1MM
	Bottom OD	104.5MM <u>+</u> 1MM
	Wall Thickness (Min)	1.1MM <u>+</u> .002 MM
LID	Colour	WHITE
	Outer Diameter	118 MM <u>+</u> 1MM
	Height	15.5 MM <u>+</u> 1MM
	Weight	20 GM <u>+</u> 1 GM
HANDLE	Weight	NA
	Material	NA
COMMUNICATION	Process	SCREEN PRINTING/HTL
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	315MM X 95MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		

<sup>\*\*</sup> In addition to the above specification, a successful filling line trial (filling / lid fitting ) has to be completed at the filling station before any commercial delivery.



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

## Get in touch now

#### Work:

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

**Registered Office Address :** Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email: info@amazonplasics.in

**Phome:** +91 8511 166623 / +91 9324 288421 www.amazonplastics.in