



AMAZON
PLASTICS PVT LTD

Our Pride, Packaging Your's

PACKAGING SOLUTIONS





AMAZON PLASTICS PVT LTD
SURVEY NO.107/2/2/1,VILLAGE-NAROLI,
SILVASSA-396230

SPECIFICATION
INDEX
AM/QCD/1501
CODE-20 KG -20

PACK SPECIFICATION - 20 KG

CONTAINER	Product Code	20 KG-20
	Product Type	OUTER LOCK
	Raw Matrial	PPCP
	Over Flow Capacity	17000 ml
	Maximum Filling Capacity	20 Kg
	Tare Weight	765 ± 25GM
	Compression Strength	500 KGF (@ 10MM DEFLECTION)
	Drop Test Standard	Vertical on base -1.2m,Vertical on Lid 1.2m,Angular on base-1.2m,Horizontal-1.2m.
	Vibration Test Standard IS-7028 (Leakage Test)	Oil filled Packs are kept horizontally,vertically-upright & vertically upside-down position on vibration tester,frequency,amplitude & duration of vibration are 120 CPM,25.4mm & 1 hr respectivery.
Stacking	1+4	
BODY	Colour	WHITE
	Height	281MM ± 2MM
	Weight	510GM ± 14GM
	Top ID (Max)	285 MM ± 2MM
	Top OD (Max)	315MM ± 2MM
	Bottom OD	260MM ± 2MM
	Wall Thickness (Min)	1.6MM ±.002 MM
LID	Colour	WHITE
	Outer Diameter	318 MM ± 2MM
	Height	29 MM± 1MM
	Weight (CCD CAP)	200 GM+ 8GM
HANDLE	Weight	55GM+ 3GM
	Material	MS
COMMUNICATION	Process	SCREEN PRINTING/HTL
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	815MM X 190MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		

**** In addition to the above specification,a successful filling line trial (filling / lid fitting) has to be completed at the filling station before any commercial delivery.**



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

Get in touch now

Work :

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

Registered Office Address : Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email : info@amazonplastics.in

Phome : +91 8511 166623 / +91 9324 288421

www.amazonplastics.in