

Our Pride, Packaging Your's

PACKAGING SOLUTIONS





AMAZON PLASTICS PVT LTD SURVEY NO.107/2/2/1,VILLAGE-NAROLI, SILVASSA-396230

SPECIFICATION INDEX AM/QCD/ CODE: 2.5KG

PACK SPECIFICATION - 2.5 KG OUTER LOCK

	Product Code	2.5KG
CONTAINER	Product Type	OUTER LOCK
	Raw Matrial	РРСР
	Over Flow Capicity	2.5KG
	Maximum Filling Capacity	2.5KG
	Tare Weight	127 +_2 GM
	Compression Strength	0 KGF (@ 10MM DEFLECTION)
	Drop Test Standard	Vertical on base -1.2m,Vertical on Lid 1.2m,Angular o base-1.2m,Horizontal-1.2m.
	Vibration Test Standard IS-7028 (Leakage Test)	Oil filled Packs are kept horizontally,vertically-upright vertically upside-down position on vibration tester,frequency,amplitude & duration of vibration at 120 CPM,25.4mm & 1 hr respectivery.
BODY	Stacking	1+4
	Colour	WHITE
	Height	125MM +_ 2 MM
	Weight	87 GM +_ 1 GM
	Top ID (Max)	170MM <u>+</u> 1MM
	Top OD (Max)	180MM <u>+</u> 1MM
	Bottom OD	150 MM <u>+</u> 1MM
LID	Wall Thickness (Min)	1.2MM <u>+</u> .002 MM
	Colour	NATURAL
	Outer Diameter	170MM <u>+ 2</u> MM
	Height	16 MM <u>+</u> 1MM
HANDLE	Weight	34 GM <u>+</u> 1GM
	Weight	6
COMMUNICATION	Material	PLASTIC
	Process	SCREEN PRINTING/HTL
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	315MM X 95MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		

the filling station before any commercial delivery.



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

Get in touch now

Work:

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

Registered Office Address : Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email : info@amazonplasics.in

Phome : +91 8511 166623 / +91 9324 288421

www.amazonplastics.in