

Our Pride, Packaging Your's

# PACKAGING SOLUTIONS





## **AMAZON PLASTICS PVT LTD SURVEY NO.107/2/2/1, VILLAGE-NAROLI,**

**SILVASSA-396230** 

**SPECIFICATION INDEX** AM/QCD/1501 **CODE:**AP02600

### **PACK SPECIFICATION - 2 KG**

CONTAINER	Product Code	AP02600C
	Product Type	OUTER LOCK
	Raw Matrial	PPCP
	Over Flow Capicity	2600 ml
	Maximum Filling Capacity	2 KG
	Tare Weight	138 <u>+</u> 6GM
	Compression Strength	0 KGF (@ 10MM DEFLECTION)
	Dran Tost Standard	Vertical on base -1.2m, Vertical on Lid 1.2m, Angular of
	Drop Test Standard	base-1.2m,Horizontal-1.2m.
	Vibration Test Standard IS 7020	Oil filled Packs are kept horizontally, vertically-upright
	Vibration Test Standard IS-7028 (Leakage Test)	vertically upside-down position on vibration tester, frequency, amplitude & duration of vibration a
		120 CPM,25.4mm & 1 hr respectivery.
		120 CPM,25.4mm & 1 m respectivery.
	Stacking	1+3
BODY	Colour	WHITE
	Height	161MM <u>+</u> 2MM
	Weight	95GM <u>+</u> 4GM
	Top ID (Max)	154 MM <u>+</u> 1MM
	Top OD (Max)	169MM <u>+</u> 1MM
	Bottom OD	138MM <u>+</u> 1MM
	Wall Thickness (Min)	1.2MM <u>+</u> .002 MM
LID	Colour	WHITE
	Outer Diameter	167 MM <u>+</u> 1MM
	Height	18 MM <u>+</u> 1MM
	Weight	30 GM <u>+</u> 2GM
HANDLE	Weight	13 GM <u>+</u> 1GM
	Material	M.S POWER COTING
COMMUNICATION	Process	SCREEN PRINTING/HTL
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	480MM X 100MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		

<sup>\*\*</sup> In addition to the above specification, a successful filling line trial (filling / lid fitting ) has to be completed at the filling station before any commercial delivery.



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

## Get in touch now

#### Work:

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

**Registered Office Address :** Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email: info@amazonplasics.in

**Phome:** +91 8511 166623 / +91 9324 288421 www.amazonplastics.in