

Our Pride, Packaging Your's

## PACKAGING SOLUTIONS





# AMAZON PLASTICS PVT LTD SURVEY NO.107/2/2/1,VILLAGE-NAROLI, SILVASSA-396230

SPECIFICATION INDEX AM/QCD/1501 CODE:4.L-03

#### **PACK SPECIFICATION - 4 LTR**

CONTAINER	Product Code	AP04800C
	Product Type	OUTER LOCK
	Raw Matrial	PPCP
	Over Flow Capicity	4800 ml
	Maximum Filling Capacity	4 LTR
	Tare Weight	247 <u>+</u> 8GM
	Compression Strength	150 KGF (@ 10MM DEFLECTION)
	Drop Test Standard	Vertical on base -1.2m, Vertical on Lid 1.2m, Angular on base-1.2m, Horizontal-1.2m.
	Vibration Test Standard IS-7028 (Leakage Test)	Oil filled Packs are kept horizontally, vertically-upright & vertically upside-down position on vibration tester, frequency, amplitude & duration of vibration are 120 CPM, 25.4mm & 1 hr respectivery.
	Stacking	1+4
BODY	Colour	WHITE
	Height	197MM <u>+</u> 2MM
	Weight	185GM <u>+</u> 5GM
	Top ID (Max)	180 MM <u>+</u> 2MM
	Top OD (Max)	193MM <u>+</u> 2MM
	Bottom OD	179MM <u>+</u> 2MM
	Wall Thickness (Min)	1.MM <u>+</u> .002 MM
LID	Colour	WHITE
	Outer Diameter	190 MM <u>+ 2</u> MM
	Height	12 MM <u>+</u> 1MM
	Weight	55 GRAM+ 2GM
HANDLE	Weight	7GM+ 1GM
	Material	PLASTICS
COMMUNICATION	Process	SCREEN PRINTING/HTL
	Desing & Colour reference	AS PER APPROVED DESING & PMSM SHADE CARD
	Print area (Length X Height)	485MM X 130MM
	Tape Teast	AS PER IS 10840:1994,ANNER E
SCOPE		
	· · · · · · · · · · · · · · · · · · ·	

<sup>\*\*</sup> In addition to the above specification, a successful filling line trial (filling / lid fitting ) has to be completed at the filling station before any commercial delivery.



Amazon always aims at improving its productivity, quality and service. Amazon has served clients of all scales and potentials from varied industries, to establish itself as one of the most sought after supplier for every industrial packaging solution.

### Get in touch now

#### Work:

Amazon Plastics Pvt Ltd, Survey Number: 107/2/2/1, Kannadi Phata, Opposite Bhilosa Industries, Dadra Nagar Haveli (UT) 396230.

**Registered Office Address :** Flat No. 33, Shiv Dham Building, 16th Santacruz Road, Opposite Gujarat Research Society, Santacruz West.

Email: info@amazonplasics.in

**Phome:** +91 8511 166623 / +91 9324 288421 www.amazonplastics.in